



ENVIRONMENTAL

CtzenCart™ SERIES



Shape up!

Exciting design, new functions
for a new way of doing things



ENVIRONMENTAL



The Ctzencart series celebrates beauty through functionality, and the power of design.

Key Features

- IPL's injection process uses high density polyethylene (HDPE) that yields precise design and consistent thicknesses;
- UV stabilized against long-term effects of the sun;
- 100% recyclable;
- Unibody design requires no bolts or holes that could potentially leak;
- Designed for maximum wind stability.

Available options



Large handles



Optional MantisWay latch



Silent Dual TPE-rubber and plastic wheels offered in 10" & 12"
Wheels snap on without tools



New hidden handle
Nestable design with catch bar

*Colours (standard)
Other colours available upon request*



Plastic and rubber wheel options

8" | 10" | 12"

Optional



For semi-automated Type B American grips, Type C European grips and Type G fully automated collection.

Ctzencart™ SERIES

64 U.S. gal./240 L

Features-highlights

- Multilingual user instructions on lid
- Large hot stamped area
- Multicolor hot stamping with company logo
- Injection molding labeling-IML on lid
- Sequential serial numbers

Advanced lid hinge design offers a tight seal that keeps pests and weather out, and trash in


RFID technology and/or barcode option for quick identification

270 degree lid opening

Lid vent options for organic waste

Ergonomic handles

Textured surface



Rugged concave design adds extra rigidity

Molded in integrated baffle compatible with fully and semi-automated collection

Recessed stopper for automated collection

Solid steel axle, yellow zinc plated against corrosion

Reinforced, sealed and rotating metal catch bar

Watertight lid overlaps container

Specifications 64 U.S. gal. / 240L

	in	cm		lbs.	kg
Depth	28 3/16	71.6	Load rating	240	109
Width	24 1/4	61.6	Stacking	11	
Height	42 3/4	108.6	T/L quantity (53')	1012	
Wheel diameter	8 /10/12	20/25/30			
Standard Axle	3/4	1.9			

CtzenCart™

SERIES

64 U.S. gal./240 L

Warranty

- 10-year limited warranty
- 20-year life expectancy; designed for the worst weather conditions
- The most durable cart in North America
- Meets all American National Standards Institute (ANSI) requirements for safety and litter system compatibility (ANSI Z245.30 and Z245.60)
- Cart is 100% recyclable, Code #2



Certifications

When you choose IPL, you work with a recognized industry leader. IPL was the first plastic injection company to achieve ISO 9001 quality certification in North America. The addition of ISO/TS16949 certification further demonstrates IPL's commitment to quality. These quality initiatives demonstrate our capabilities and know-how.

Contact us

140 Commerciale Street
St-Damien, Que. Canada G0R 2Y0

ipl-plastics.com

1 800 463.0270



ENVIRONMENTAL